Industrial

Product Handling Information Sheet Maywotron[®] ABS/TPU Sur-R

1. Company		
Name/Address	Röchling Industrial Allgäu GmbH Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857 0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach	
2. Product details		
Product/Article	Technical semi-finished product or machined part	
Abbreviated terms	ABS / TPU	
Material Characterisation	Thermoplastic	
Main Components	 acrylonitrile butadiene styrene thermoplastic polyurethanes colour pigments and possibly additives 	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes	-	
3. Product characteristics		
Form/State	• firm	
Color	-	
Odour	nearly odourless	
Density	1,10	
Melting range	>180°C	
Glass transition temperature	-	
Thermal decomposition	>230°C	



Röchling

3. Product characteristics		
Flash point	-	
gnition temperature	> 350°C	
Notes	-	

Special Risks For Mankind And T Environment	none		
Notes	-		
5. Handling and Storage			
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. 		
Storage	 horizontally dry protected against frost protected against climatic influences product protect against frost 		
Safety measures	 Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines. Wear gloves to prevent contact during mechanical processing and/or hot mel conditions. Wear splash goggles to protect from hot molten substance/product. 		
Shelf Life	-		
Notes	-		

6. Transport	
Transport	 Non dangerous goods according to the transport regulations Secure against slipping.
Finished Product Packing	-
Notes	_



Röchling

7. Fire – fighting measures			
Suitable extinguishing agents		 water foam CO₂ dry powder extinguishing agents 	
Potential combustion products		 CO CO₂ HCN NO isocyanate 	
Necessary protection equip	oment	Complete protection equipment for fire-brigade.	
Notes		Molten product has to be cooled with water. Fire residues and contaminated extinguishing water must be collected and disposed of according to the local instructions.	
8. Removal			
Recyclability		Check possibility of recycling.	
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".	
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.	
EC Waste Code		 12 01 05 plastics shavings and turnings 20 01 39 plastics 	
Notes			
9. Marking and Guidelines			
Marking in accordance with Guideline	EEC	no labelling required	
Notes		-	
10. Information about REAC	Ch		



Print: 21/11/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 90 • PIM-ID: 709702 • PIM-Code: 90-8



Industrial

Information about REACh According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics.Existing laws and regulations are to be observed by the user of our product within his own responsibility.



Print: 21/11/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 90 • PIM-ID: 709702 • PIM-Code: 90-8