

Product Handling Information Sheet Maywotron[®] PS/PE

1. Company						
Name/Address		Röchling Industrial Allgäu GmbH Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857-0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach				
2. Product details						
Product/Article		Technical semi-finished product or machined part				
Abbreviated terms		PS				
Material Characterisation		Thermoplastic				
Main Components		 copolymer: styrene-butadiene polymer: polyethylene				
Components Subject to labellin	g	none				
Classification according to REA	ſСh	Article				
Notes						

3. Product characteristics	
Form/State	• firm
Color	-
Odour	nearly odourless
Density	1,06
Melting range	>170°C
Glass transition temperature	_
Thermal decomposition	_
Flash point	> 300°C



Röchling

Industrial

3. Product characteristics		
Ignition temperature	> 300°C	
Notes	_	

4. Danger warnings						
Special Risks For Mankind And Th Environment	e None					
Notes	_					
5. Handling and Storage						
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored fo min. 24h under normal climatic conditions. 					
Storage	 horizontally dry protected against frost protected against climatic influences 					
Safety measures						
Shelf Life	-					
Notes						
6. Transport						
 ransport Non dangerous goods according to the transport regulations. Secure against slipping. 						
Finished Product Packing	-					
Notes	_					

7. Fire – fighting measures



Print: 24/08/2024 • Release: 20/09/2023 • Version: 3.0 PIM-Version: 63 • PIM-ID: 709716 • PIM-Code: 63-15



Suitable extinguishing agents	• water		
	water spray		
	• foam		
	• CO ₂		
	dry chemicals		
Potential combustion products	• CO ₂		
	• CO ²		
	Unburned Hydrocarbons		
	 May evolve vapours made up of monomers 		
Necessary protection equipment	Complete protection equipment for fire-brigade.		
	Use self-contained air respirators during strong smoke and steam development.		
Notes	Molten product has to be cooled with water. Fire residues must be collected and disposed of according to the local instructions.		

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	12 01 05 plastics shavings and turnings20 01 39 plastics
Notes	

9. Marking and Guidelines				
Marking in accordance with EEC Gu	deline no labellin	g required		
Notes	-			
10. Information about REACh				





Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.-

11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



Print: 24/08/2024 • Release: 20/09/2023 • Version: 3.0 PIM-Version: 63 • PIM-ID: 709716 • PIM-Code: 63-15