

# EtroX<sup>®</sup> I CM natural

## The premium product for highly demanding applications

Our premium material EtroX® I CM was specially developed to meet the high demands of the electronics, aerospace and automotive industries. As a pure polyimide, it withstands particularly high temperatures. EtroX<sup>®</sup> I CM can be used to design components that offer significant advantages over other thermoplastics.



#### Operating in the following industries



<sup>8</sup> 전자 제품



Semiconductor Industry





#### **Extended characteristics**



#### Advantages of a premium material

High tensile strength, with adequate impact strength, stiffness and dimensional stability make it a premium material for demanding applications.



#### Long lifespan

Our material has a low wear rate so that components made of EtroX® I CM can be used for a long time and thus increase efficiency in the application.



#### High temperature resistance

The material's low inherent flammability is particularly important for applications with a high safety risk.



#### Easy processing

EtroX® I CM can be machined to tight tolerances using conventional CNC machines.



#### High mechanical strength

Even at high operating temperatures of more than 250 °C, EtroX® I CM has a high mechanical strength, so that the material can replace metals.

Röchling Industrial. Empowering Industry. www.roechling.com/industrial






## **Application examples**







Test socket for final chip testing



Gripper for glass bottles





# Our product variants of EtroX<sup>®</sup> I CM natural

For more information about technical data, product handling, certifications, compliance or delivery program scan the QR-Code and visit our website or talk to our experts.

EtroX<sup>®</sup> I CM natural





**Röchling Industrial.** Empowering Industry. www.roechling.com/industrial

