

## **Product Handling Information Sheet**

## Maywoflamm<sup>®</sup> ABS M

1. Company		
Name/Address	Röchling Industrial Allgäu GmbH  Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 98570  0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach	
2. Product details		
Product/Article	Semi-finished product (sheet or film)	
Abbreviated terms	ABS	
Material Characterisation	Thermoplastic	
Main Components	<ul> <li>acrylnitril butadiene styrene copolymer</li> <li>contains additives</li> <li>evtl. colour pigments</li> </ul>	
Components Subject to labelling	none	
Classification according to REAC	h Article	
Notes	-	
3. Product characteristics		
Form/State	• firm	
Color		
Odour	nearly odourless	
Density	1,2	
Melting range	>180	
Glass transition temperature	-	
Thermal decomposition	>300 °C	





3. Product characteristics	
Flash point	<u> </u>
Ignition temperature	<del>-</del>
Notes	<del>-</del>
4. Danger warnings	
Special Risks For Mankind And Th Environment	he -
Notes	<del>-</del>
5. Handling and Storage	
Handling	<ul> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> <li>Product can be worked with conventional machines and tools.</li> </ul>
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>
Safety measures	
Shelf Life	-
Notes	-
6. Transport	
Transport	<ul> <li>Non dangerous goods according to the transport regulations.</li> <li>Secure against slipping.</li> </ul>
Finished Product Packing	
Finished Product Packing  Notes	_



7. Fire – fighting measures





Suitable extinguishing agents		<ul><li>water</li><li>foam</li></ul>	
		dry powder extinguishing agents	
Potential combustion products		<ul> <li>CO</li> <li>CO<sub>2</sub></li> <li>styrene monomer</li> <li>acrylonitrile</li> <li>nitrogen monoxide</li> <li>bromine derivatives such as hydrogen bromide and other combustion products</li> </ul>	
Necessary protection equipment		<ul> <li>Complete protection equipment for fire-brigade.</li> <li>Use self-contained air respirators during strong smoke and steam development.</li> </ul>	
Notes		Molten product has to be cooled with water. Fire residues must be collected and disposed according to the local instructions.	
8. Removal			
Recyclability		Check possibility of recycling.	
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".	
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.	
EC Waste Code		<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>	
Notes		-	
9. Marking and Guidelines			
Marking in accordance with Guideline	EEC	no labelling required	
Notes		-	







Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

## 11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



