

Product Handling Information Sheet

Maywotron® ABS L

1. Company					
Name/Address	Röchling Industrial Allgäu GmbH Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 985. 0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach				
2. Product details					
Product/Article	Technical semi-finished product or machined part				
Abbreviated terms	ABS				
Material Characterisation	Thermoplastic				
Main Components	acrylnitril butadiene styrene copolymercarbon black				
Components Subject to labelling	none				
Classification according to REACh	Article				
Notes	-				
3. Product characteristics					
Form/State	• firm				
Color					
Odour	nearly odourless				
Density	1,1				
Melting range	>180°C				
Glass transition temperature	-				
Thermal decomposition	>300°C				
Flash point	-				





3. Product characteristics	7500				
Ignition temperature	> 350°C				
Notes	<u>-</u>				
4. Danger warnings					
Special Risks For Mankind And Th Environment	None				
Notes	-				
5. Handling and Storage					
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. 				
Storage	 horizontally dry protected against frost protected against climatic influences 				
Safety measures					
Shelf Life	-				
Notes	-				
6. Transport					
Transport	 Non dangerous goods according to the transport regulations. Secure against slipping. 				
Finished Product Packing	-				
Notes	-				



7. Fire – fighting measures





Potential combustion products Necessary protection equipment		 water foam CO₂ dry powder extinguishing agents CO ₂ CO Complete protection equipment for fire-brigade. Use self-contained air respirators during strong smoke and steam development. 									
						Notes		Molten product has to be cooled with water. Fire residues must be collected and disposed of according to the local instructions.			
8. Removal											
Recyclability		Check possibility of recycling.									
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".									
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordar with local regulations.	псе								
EC Waste Code		12 01 05 plastics shavings and turnings20 01 39 plastics									
Notes		The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to observed by the user of our product within his own responsibility.	be								
9. Marking and Guidelines											
Marking in accordance with Guideline	EEC	-									
Notes											
10. Information about REAC	h										
Information about REACh		According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.									





11. Other Information				
Other Information	-			



