

## **Product Handling Information Sheet**

> 390°C

## Polystone® D blue

Name/Address  Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren  2. Product details  Product/Article Technical semi-finished product or machined part  Abbreviated terms PE-HD / PE 500  Material Characterisation Semi crystalline plastic  • polyethylene • possibly olefin-copolymerisate • stabiliser • additives  Components Subject to labelling none  Classification according to REACh Notes	1. Company						
Product/Article Abbreviated terms PE-HD / PE 500 Material Characterisation Main Components  • polyethylene • possibly olefin-copolymerisate • stabiliser • additives  Components Subject to labelling Classification according to REACh Notes	Name/Address		Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0				
Product/Article Abbreviated terms PE-HD / PE 500 Material Characterisation Main Components  • polyethylene • possibly olefin-copolymerisate • stabiliser • additives  Components Subject to labelling Classification according to REACh Notes							
Abbreviated terms  PE-HD / PE 500  Material Characterisation  Semi crystalline plastic  polyethylene possibly olefin-copolymerisate stabiliser additives  Components Subject to labelling none  Classification according to REACh Notes  Article  Notes  Article  Notes  Article  Tolor blue  Odour  nearly odourless  Density  Notes  PE-HD / PE 500  Semi crystalline plastic  possibly plastic possibly olefin-copolymerisate possibly olefin-c	2. Product details						
Material Characterisation  Main Components  • polyethylene • possibly olefin-copolymerisate • stabiliser • additives  Components Subject to labelling  none  Classification according to REACh  Notes  -  3. Product characteristics  Form/State  • firm  Color  blue  Odour  • nearly odourless  Density  >0,95  Melting range	Product/Article		Technical semi-finished product or machined part				
Main Components  • polyethylene • possibly olefin-copolymerisate • stabiliser • additives  Components Subject to labelling Classification according to REACh Notes	Abbreviated terms		PE-HD / PE 500				
possibly olefin-copolymerisate     stabiliser     additives  Components Subject to labelling     none Classification according to REACh Notes  -  3. Product characteristics Form/State     ofirm Color     blue Odour     nearly odourless Density Notes  130 135	Material Characterisation		Semi crystalline plastic				
Classification according to REACh Notes  -  3. Product characteristics  Form/State  • firm  Color  Odour  • nearly odourless  Density  >0,95  Melting range  130 135	Main Components		<ul><li>possibly olefin-copolymerisate</li><li>stabiliser</li></ul>				
Notes	Components Subject to labe	lling	none				
3. Product characteristics  Form/State • firm  Color blue  Odour • nearly odourless  Density >0,95  Melting range 130 135	Classification according to F	REACh	Article				
Form/State         • firm           Color         blue           Odour         • nearly odourless           Density         >0,95           Melting range         130 135	Notes						
Color         blue           Odour         • nearly odourless           Density         >0,95           Melting range         130 135	3. Product characteristics						
Odour  • nearly odourless  Density  >0,95  Melting range  130 135	Form/State		• firm				
Density >0,95 Melting range 130 135	Color		blue				
Melting range 130 135	Odour		nearly odourless				
	Density		>0,95				
Glass transition temperature –	Melting range		130 135				
<u> </u>	Glass transition temperature	)	-				



Thermal decomposition



Flash point gnition temperature Notes	- > 350°C -				
Notes	> 350°C -				
	-				
1. Danger warnings					
pecial Risks For Mankind And The Environment	e none				
Notes	-				
5. Handling and Storage					
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>				
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>				
Safety measures					
Shelf Life	-				
Notes	-				
5. Transport					
ransport	<ul> <li>Non dangerous goods according to the transport regulations.</li> <li>Secure against slipping.</li> </ul>				
inished Product Packing	_				
Notes	_				



## **Industrial**



Suitable extinguishing agents	• water
	• foam
	• CO <sub>2</sub>
	<ul> <li>dry powder extinguishing agents</li> </ul>
Potential combustion products	• CO
	• CO <sub>2</sub>
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes	-

9. Marking and Guidelines					
Marking in accordance with Guideline	EEC	no labelling r	equired		
Notes		-			

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

## 11. Other Information







Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



