

Product Handling Information Sheet

Sustamid[®] 12 natural

1. Company						
Name/Address	Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0					
	info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein					
2. Product details						
Product/Article	Engineering semi-finished product					
Abbreviated terms	PA 12					
Material Characterisation	Thermoplastic					
Main Components	 polyamide 12 contains evtl. colour pigments					
Components Subject to labelling	none					
Classification according to REACh	Article					
Notes						

3. Product characteristics		
Form/State	• solid	
Color	natural	
Odour	odourless	
Density	1,02	
Melting range	178	
Glass transition temperature		
Thermal decomposition	>300 °C	
Flash point	-	



Röchling

Industrial

3. Product characteristics				
Ignition temperature	>350 °C			
Notes				
4. Danger warnings				
Special Risks For Mankind An Environment	d The none			
Notes				
5. Handling and Storage				
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored fo min. 24h under normal climatic conditions. 			
Storage	horizontallydryprotected against climatic influences			
Safety measures				
Shelf Life	-			
Notes				
6. Transport				
Transport	 Not classified as hazardous good under transport regulations. 			
Finished Product Packing	_			
Notes	_			
7. Fire – fighting measures				

Suitable extinguishing agents

- water
- foam
- dry extinguishing media
- CO₂



Print: 06/03/2025 • Release: 20/09/2023 PIM-Version: 726 • PIM-ID: 591043 • PIM-Code: 726-30

Röchling

7. Fire – fighting measures	
Potential combustion products	 carbon monoxide nitrogen oxide traces of hydrogen cyanide
Necessary protection equipment	• Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	According the European waste catalogue (EAK) the product is not classified as hazardous.
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations.
EC Waste Code	12 01 05 plastics shavings and turnings07 02 13 waste plastic
Notes	-

9. Marking and Guidelines						
Marking in accordance with E	EC Guio	leline not su	bject to labe	elling		
Notes		-				

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets

11. Other Information	
Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.



Print: 06/03/2025 • Release: 20/09/2023 PIM-Version: 726 • PIM-ID: 591043 • PIM-Code: 726-30