

## **Product Handling Information Sheet**

## Sustamid<sup>®</sup> 6 red

		Röchling Industrial Lahnstein SE & Co. KG
		Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0
		info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein
2. Product details		
Product/Article		Engineering semi-finished product
Abbreviated terms		PA 6
Material Characterisation		Thermoplastic
Main Components		<ul><li>polyamide 6</li><li>contains evtl. colour pigments</li></ul>
Components Subject to labell	ing	none
Classification according to REACh		Article
Notes		_

## Form/State • solid Color red Odour • odourless Density 1,14 Melting range 220 Glass transition temperature Thermal decomposition • solid



Flash point



Ignition temperature	>400 °C		
<u> </u>	2400 C		
Notes	<del>_</del>		
4. Danger warnings			
Special Risks For Mankind And The Environment	none		
Notes			
5. Handling and Storage			
Handling	Product can be worked with conventional machines and tools.		
	Before machining the product should have room temperature and/or to be stored for		
	min. 24h under normal climatic conditions.		
Storage	horizontally		
	• dry		
	protected against climatic influences		
Safety measures			
Shelf Life			
Notes			
6. Transport			
Transport	<ul> <li>Not classified as hazardous good under transport regulations.</li> </ul>		
Finished Product Packing	-		
Notes	-		
7. Fire – fighting measures			
Suitable extinguishing agents	• water		
	• foam		
	dry extinguishing media		
	• CO <sub>2</sub>		





7. Fire - fighting measures

Potential combustion products  Necessary protection equipment  Notes		<ul><li>carbon monoxide</li><li>nitrogen oxide</li><li>traces of hydrogen cyanide</li></ul>		
		Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.  Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.		
8. Removal				
Recyclability		Check possibility of recycling.		
EC Waste Catalog		According the European waste catalogue (EAK) the product is not classified as hazardous.		
Waste Removal		Waste disposal by landfill or incineration in compliance with state and local regulations.		
EC Waste Code		<ul><li>12 01 05 plastics shavings and turnings</li><li>07 02 13 waste plastic</li></ul>		
Notes		-		
9. Marking and Guidelines				
Maulian in accordance with F	EC Gu	ideline not subject to labelling		
Marking in accordance with E				

11. Other Information		
Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.	

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are

clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety



10. Information about REACh

Information about REACh